Imagining the Unseen: Stability-based Cuboid Arrangements for Scene Understanding Supplementary Material

Synthetic Data 2-6
NYU2 Dataset 7-706
Cluttered Indoor Scenes 707-732
Multi-view Recordings 733-734



(a) Input pointcloud

(b) Initial proxies

(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 1: Scene “14_chair_perturbed“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 2: Scene “15_chair2_perturbed“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 3: Scene “box_stacking_18“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 4: Scene ““



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 5: Scene “view1“



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 6: Scene 0001

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 7: Scene 0002



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 8: Scene 0003



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 9: Scene 0004

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 10: Scene 0005



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 11: Scene 0006

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 12: Scene 0007

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 13: Scene 0008

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 14: Scene 0010

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 15: Scene 0011

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 16: Scene 0012

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 17: Scene 0013

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 18: Scene 0014

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 19: Scene 0016

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 20: Scene 0017

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 21: Scene 0018

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 22: Scene 0019

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 23: Scene 0020



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 24: Scene 0021



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 25: Scene 0022

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 26: Scene 0023

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 27: Scene 0024

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 28: Scene 0025

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 29: Scene 0026

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 30: Scene 0027

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 31: Scene 0028



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 32: Scene 0029



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 33: Scene 0030



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 34: Scene 0031



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 35: Scene 0032



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 36: Scene 0033

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 37: Scene 0034

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 38: Scene 0035

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 39: Scene 0036



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 40: Scene 0037

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 41: Scene 0038

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 42: Scene 0039

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 43: Scene 0040



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 44: Scene 0041



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 45: Scene 0042

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 46: Scene 0043



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 47: Scene 0044

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 48: Scene 0045

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 49: Scene 0046



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 50: Scene 0047

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 51: Scene 0048

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 52: Scene 0049



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 53: Scene 0050

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 54: Scene 0051



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 55: Scene 0052



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 56: Scene 0053

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 57: Scene 0054



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 58: Scene 0055



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 59: Scene 0056

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 60: Scene 0057



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 61: Scene 0058



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 62: Scene 0059



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 63: Scene 0060



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 64: Scene 0061



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 65: Scene 0062



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 66: Scene 0063



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 67: Scene 0064



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 68: Scene 0065

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 69: Scene 0066



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 70: Scene 0067

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 71: Scene 0068



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 72: Scene 0069



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 73: Scene 0070



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 74: Scene 0071



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 75: Scene 0072



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 76: Scene 0073



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 77: Scene 0074



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 78: Scene 0075



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 79: Scene 0076

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 80: Scene 0077



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 81: Scene 0078



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 82: Scene 0079



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 83: Scene 0080



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 84: Scene 0081



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 85: Scene 0082



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 86: Scene 0083

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 87: Scene 0084

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 88: Scene 0085

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 89: Scene 0086

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 90: Scene 0087

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 91: Scene 0088

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 92: Scene 0089

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 93: Scene 0090

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 94: Scene 0091

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 95: Scene 0092

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 96: Scene 0093

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 97: Scene 0094

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 98: Scene 0095

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 99: Scene 0096

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 100: Scene 0097

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 101: Scene 0098

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 102: Scene 0099

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 103: Scene 0100

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 104: Scene 0101

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 105: Scene 0102

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 106: Scene 0103

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 107: Scene 0104

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 108: Scene 0105

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 109: Scene 0106

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 110: Scene 0107

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 111: Scene 0108



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 112: Scene 0109

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 113: Scene 0110

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 114: Scene 0111

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 115: Scene 0113

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 116: Scene 0115

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 117: Scene 0116

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 118: Scene 0117

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 119: Scene 0118

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 120: Scene 0119

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 121: Scene 0120

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 122: Scene 0121

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 123: Scene 0122

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 124: Scene 0123

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 125: Scene 0124



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 126: Scene 0125



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 127: Scene 0126

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 128: Scene 0127

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 129: Scene 0128

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 130: Scene 0129



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 131: Scene 0130



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 132: Scene 0131



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 133: Scene 0132



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 134: Scene 0133



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 135: Scene 0134



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 136: Scene 0135

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 137: Scene 0136

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 138: Scene 0137



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 139: Scene 0138



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 140: Scene 0139



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 141: Scene 0140

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 142: Scene 0141

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 143: Scene 0142



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 144: Scene 0143

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 145: Scene 0145

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 146: Scene 0146



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 147: Scene 0147



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 148: Scene 0148



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 149: Scene 0149



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 150: Scene 0151

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 151: Scene 0152



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 152: Scene 0153



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 153: Scene 0154



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 154: Scene 0155



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 155: Scene 0156



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 156: Scene 0157



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 157: Scene 0158



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 158: Scene 0159



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 159: Scene 0160



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 160: Scene 0161



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 161: Scene 0162



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 162: Scene 0163

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 163: Scene 0164



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 164: Scene 0165



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 165: Scene 0166



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 166: Scene 0167



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 167: Scene 0168



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 168: Scene 0169



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 169: Scene 0170

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 170: Scene 0171

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 171: Scene 0172



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 172: Scene 0173

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 173: Scene 0174



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 174: Scene 0175



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 175: Scene 0176



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 176: Scene 0177



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 177: Scene 0178



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 178: Scene 0179



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 179: Scene 0180



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 180: Scene 0181

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 181: Scene 0182

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 182: Scene 0183



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 183: Scene 0184



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 184: Scene 0185



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 185: Scene 0186



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 186: Scene 0187



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 187: Scene 0188



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 188: Scene 0189



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 189: Scene 0190



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 190: Scene 0191

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 191: Scene 0192

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 192: Scene 0193



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 193: Scene 0194



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 194: Scene 0195

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 195: Scene 0196

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 196: Scene 0197



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 197: Scene 0198



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 198: Scene 0199



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 199: Scene 0200



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 200: Scene 0201

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 201: Scene 0202

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 202: Scene 0203



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 203: Scene 0204

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 204: Scene 0205

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 205: Scene 0206

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 206: Scene 0207

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 207: Scene 0208

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 208: Scene 0209



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 209: Scene 0210

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 210: Scene 0211

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 211: Scene 0212

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 212: Scene 0213

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 213: Scene 0214

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 214: Scene 0215



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 215: Scene 0216



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 216: Scene 0217



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 217: Scene 0218



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 218: Scene 0219



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 219: Scene 0220



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 220: Scene 0221



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 221: Scene 0222



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 222: Scene 0223

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 223: Scene 0224



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 224: Scene 0225

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 225: Scene 0226

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 226: Scene 0227

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 227: Scene 0228

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 228: Scene 0229



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 229: Scene 0230



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 230: Scene 0231

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 231: Scene 0232

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 232: Scene 0233



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 233: Scene 0234

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 234: Scene 0235



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 235: Scene 0236

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 236: Scene 0237

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 237: Scene 0238

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 238: Scene 0239



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 239: Scene 0240

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 240: Scene 0241

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 241: Scene 0242

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 242: Scene 0243

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 243: Scene 0244

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 244: Scene 0245

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 245: Scene 0246

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 246: Scene 0247

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 247: Scene 0248

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 248: Scene 0249

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 249: Scene 0250

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 250: Scene 0251



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 251: Scene 0252



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 252: Scene 0253

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 253: Scene 0254



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 254: Scene 0255



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 255: Scene 0256



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 256: Scene 0257



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 257: Scene 0258



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 258: Scene 0259



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 259: Scene 0260

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 260: Scene 0261



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 261: Scene 0262



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 262: Scene 0263

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 263: Scene 0264



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 264: Scene 0265

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 265: Scene 0266

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 266: Scene 0267



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 267: Scene 0268



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 268: Scene 0269



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 269: Scene 0270

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 270: Scene 0271

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 271: Scene 0272

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 272: Scene 0273



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 273: Scene 0274



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 274: Scene 0275

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 275: Scene 0276

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 276: Scene 0277

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 277: Scene 0278



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 278: Scene 0279



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 279: Scene 0280

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 280: Scene 0281



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 281: Scene 0282



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 282: Scene 0283

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 283: Scene 0284

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 284: Scene 0285

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 285: Scene 0286

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 286: Scene 0287

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 287: Scene 0288



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 288: Scene 0289

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 289: Scene 0290



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 290: Scene 0291



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 291: Scene 0292

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 292: Scene 0293

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 293: Scene 0294

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 294: Scene 0295

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 295: Scene 0296



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 296: Scene 0297

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 297: Scene 0298

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 298: Scene 0299

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 299: Scene 0300

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 300: Scene 0301

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 301: Scene 0302

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 302: Scene 0303

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 303: Scene 0304

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 304: Scene 0305



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 305: Scene 0306

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 306: Scene 0307

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 307: Scene 0308

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 308: Scene 0309

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 309: Scene 0310

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 310: Scene 0311

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 311: Scene 0312

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 312: Scene 0313

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 313: Scene 0314



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 314: Scene 0315

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 315: Scene 0316

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 316: Scene 0317

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 317: Scene 0318

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 318: Scene 0319

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 319: Scene 0320

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 320: Scene 0321

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 321: Scene 0322

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 322: Scene 0323

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 323: Scene 0324

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 324: Scene 0325

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 325: Scene 0326

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 326: Scene 0327

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 327: Scene 0328

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 328: Scene 0329



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 329: Scene 0330

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 330: Scene 0331

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 331: Scene 0332

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 332: Scene 0333



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 333: Scene 0334



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 334: Scene 0335

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 335: Scene 0336



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 336: Scene 0337

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 337: Scene 0338



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 338: Scene 0339

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 339: Scene 0340



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 340: Scene 0341



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 341: Scene 0342

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 342: Scene 0343

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 343: Scene 0344

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 344: Scene 0345

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 345: Scene 0346

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 346: Scene 0347

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 347: Scene 0348

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 348: Scene 0349



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 349: Scene 0350



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 350: Scene 0351

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 351: Scene 0352



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 352: Scene 0353



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 353: Scene 0354



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 354: Scene 0355

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 355: Scene 0356

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 356: Scene 0357



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 357: Scene 0358



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 358: Scene 0359



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 359: Scene 0360

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 360: Scene 0361



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 361: Scene 0362

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 362: Scene 0363

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 363: Scene 0364

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 364: Scene 0365

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 365: Scene 0366



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 366: Scene 0367

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 367: Scene 0368



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 368: Scene 0369

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 369: Scene 0370

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 370: Scene 0371

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 371: Scene 0372



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 372: Scene 0373

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 373: Scene 0374



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 374: Scene 0375

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 375: Scene 0376



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 376: Scene 0377

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 377: Scene 0378

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 378: Scene 0379

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 379: Scene 0380

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 380: Scene 0381



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 381: Scene 0382

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 382: Scene 0383



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 383: Scene 0384

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 384: Scene 0385



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 385: Scene 0386

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 386: Scene 0387

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 387: Scene 0388

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 388: Scene 0389

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 389: Scene 0390



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 390: Scene 0391



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 391: Scene 0392

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 392: Scene 0393



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 393: Scene 0394

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 394: Scene 0395

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 395: Scene 0396



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 396: Scene 0397

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 397: Scene 0398

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 398: Scene 0399



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 399: Scene 0400

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 400: Scene 0401

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 401: Scene 0402

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 402: Scene 0403



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 403: Scene 0404



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 404: Scene 0405

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 405: Scene 0406

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 406: Scene 0407

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 407: Scene 0408

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 408: Scene 0409

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 409: Scene 0410

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 410: Scene 0411

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 411: Scene 0412

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 412: Scene 0413



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 413: Scene 0414



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 414: Scene 0415

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 415: Scene 0416

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 416: Scene 0417



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 417: Scene 0418



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 418: Scene 0419



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 419: Scene 0420



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 420: Scene 0421



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 421: Scene 0422



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 422: Scene 0423



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 423: Scene 0425



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 424: Scene 0426

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 425: Scene 0427



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 426: Scene 0428

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 427: Scene 0429

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 428: Scene 0430

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 429: Scene 0431



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 430: Scene 0432

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 431: Scene 0433



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 432: Scene 0434



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 433: Scene 0435



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 434: Scene 0436



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 435: Scene 0437



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 436: Scene 0438



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 437: Scene 0439



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 438: Scene 0440



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 439: Scene 0441



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 440: Scene 0443



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 441: Scene 0444



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 442: Scene 0445



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 443: Scene 0446



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 444: Scene 0447



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 445: Scene 0448

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 446: Scene 0449

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 447: Scene 0450

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 448: Scene 0451



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 449: Scene 0452



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 450: Scene 0453



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 451: Scene 0454



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 452: Scene 0455

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 453: Scene 0457



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 454: Scene 0458



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 455: Scene 0459

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 456: Scene 0460



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 457: Scene 0461

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 458: Scene 0462

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 459: Scene 0463

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 460: Scene 0464

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 461: Scene 0465

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 462: Scene 0466

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 463: Scene 0467

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 464: Scene 0468

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 465: Scene 0469

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 466: Scene 0470

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 467: Scene 0471



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 468: Scene 0472

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 469: Scene 0473

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 470: Scene 0474

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 471: Scene 0475

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 472: Scene 0476

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 473: Scene 0477

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 474: Scene 0478



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 475: Scene 0479

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 476: Scene 0480

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 477: Scene 0481

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 478: Scene 0483



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 479: Scene 0484



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 480: Scene 0485

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 481: Scene 0486



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 482: Scene 0487



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 483: Scene 0489

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 484: Scene 0490

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 485: Scene 0491

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 486: Scene 0492

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 487: Scene 0493

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 488: Scene 0494

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 489: Scene 0495



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 490: Scene 0496

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 491: Scene 0497

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 492: Scene 0498

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 493: Scene 0499



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 494: Scene 0500



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 495: Scene 0501



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 496: Scene 0502



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 497: Scene 0504



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 498: Scene 0505

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 499: Scene 0506

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 500: Scene 0507



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 501: Scene 0508



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 502: Scene 0509



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 503: Scene 0511



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 504: Scene 0512



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 505: Scene 0513



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 506: Scene 0514

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 507: Scene 0515

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 508: Scene 0516



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 509: Scene 0517

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 510: Scene 0518



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 511: Scene 0519

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 512: Scene 0520

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 513: Scene 0521



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 514: Scene 0522

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 515: Scene 0523

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 516: Scene 0524



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 517: Scene 0525



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 518: Scene 0526

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 519: Scene 0527



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 520: Scene 0528



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 521: Scene 0529



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 522: Scene 0530



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 523: Scene 0531



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 524: Scene 0532

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 525: Scene 0533



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 526: Scene 0534



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 527: Scene 0535



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 528: Scene 0536



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 529: Scene 0537



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 530: Scene 0538



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 531: Scene 0539



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 532: Scene 0540



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 533: Scene 0541

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 534: Scene 0542

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 535: Scene 0543



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 536: Scene 0545



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 537: Scene 0547



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 538: Scene 0548

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 539: Scene 0549

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 540: Scene 0551

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 541: Scene 0552



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 542: Scene 0553



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 543: Scene 0554

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 544: Scene 0555

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 545: Scene 0556



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 546: Scene 0557

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 547: Scene 0558

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 548: Scene 0559

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 549: Scene 0560



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 550: Scene 0561

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 551: Scene 0562

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 552: Scene 0563

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 553: Scene 0564



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 554: Scene 0565

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 555: Scene 0566

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 556: Scene 0567

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 557: Scene 0568

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 558: Scene 0569

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 559: Scene 0570

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 560: Scene 0571



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 561: Scene 0572

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 562: Scene 0573



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 563: Scene 0574

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 564: Scene 0575

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 565: Scene 0576

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 566: Scene 0577

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 567: Scene 0578



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 568: Scene 0579

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 569: Scene 0580

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 570: Scene 0581



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 571: Scene 0582

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 572: Scene 0583

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 573: Scene 0584



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 574: Scene 0585



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 575: Scene 0586



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 576: Scene 0587

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 577: Scene 0588

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 578: Scene 0589

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 579: Scene 0590

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 580: Scene 0591



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 581: Scene 0592



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 582: Scene 0593



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 583: Scene 0594



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 584: Scene 0595



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 585: Scene 0596

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 586: Scene 0597



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 587: Scene 0598

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 588: Scene 0599

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 589: Scene 0600



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 590: Scene 0601



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 591: Scene 0602



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 592: Scene 0603

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 593: Scene 0604



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 594: Scene 0605



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 595: Scene 0606



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 596: Scene 0607

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 597: Scene 0608



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 598: Scene 0609

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 599: Scene 0610



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 600: Scene 0611

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 601: Scene 0612



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 602: Scene 0613



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 603: Scene 0614

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 604: Scene 0615



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 605: Scene 0616



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 606: Scene 0617

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 607: Scene 0618

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 608: Scene 0619



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 609: Scene 0620



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 610: Scene 0621



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 611: Scene 0623



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 612: Scene 0624



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 613: Scene 0625

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 614: Scene 0626



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 615: Scene 0627



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 616: Scene 0628

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 617: Scene 0629

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 618: Scene 0630

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 619: Scene 0631

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 620: Scene 0632

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 621: Scene 0633

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 622: Scene 0634

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 623: Scene 0636



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 624: Scene 0637

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 625: Scene 0638

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 626: Scene 0639

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 627: Scene 0640

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 628: Scene 0641



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 629: Scene 0642



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 630: Scene 0643

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 631: Scene 0644



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 632: Scene 0645



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 633: Scene 0646

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 634: Scene 0647



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 635: Scene 0648



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 636: Scene 0649



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 637: Scene 0650

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 638: Scene 0651



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 639: Scene 0652



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 640: Scene 0653



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 641: Scene 0654

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 642: Scene 0655

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 643: Scene 0656



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 644: Scene 0657

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 645: Scene 0658



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 646: Scene 0659

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 647: Scene 0660

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 648: Scene 0661



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 649: Scene 0662



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 650: Scene 0663



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 651: Scene 0664



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 652: Scene 0665



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 653: Scene 0666



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 654: Scene 0667



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 655: Scene 0668

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 656: Scene 0669

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 657: Scene 0670

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 658: Scene 0671

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 659: Scene 0672

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 660: Scene 0673



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 661: Scene 0674

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 662: Scene 0675

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 663: Scene 0677



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 664: Scene 0678

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 665: Scene 0679

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 666: Scene 0680



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 667: Scene 0681



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 668: Scene 0682



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 669: Scene 0683



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 670: Scene 0684

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 671: Scene 0685

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 672: Scene 0687

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 673: Scene 0688



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 674: Scene 0689

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 675: Scene 0690



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 676: Scene 0691



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 677: Scene 0692

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 678: Scene 0693



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 679: Scene 0694

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 680: Scene 0695

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 681: Scene 0696



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 682: Scene 0697



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 683: Scene 0698



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 684: Scene 0699



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 685: Scene 0700



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 686: Scene 0701

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 687: Scene 0702



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 688: Scene 0703



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 689: Scene 0704



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 690: Scene 0705

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 691: Scene 0706

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 692: Scene 0707



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 693: Scene 0776

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 694: Scene 0780



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 695: Scene 0844

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 696: Scene 0995



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 697: Scene 1003

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 698: Scene 1028

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 699: Scene 1039

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 700: Scene 1086

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 701: Scene 1205

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 702: Scene 1210

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 703: Scene 1213



(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 704: Scene 1228

(a) RGBD Image



(b) Initial Proxies



(c) Optimized Proxies

Figure 705: Scene 1237

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 706: Scene “02_5cubes_on_round_table“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 707: Scene “06_aligned_2boxes_on_round“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 708: Scene “08_slanted_3boxes_on_floor“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 709: Scene “10_aligned_2books“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 710: Scene “11_aligned_wood_henge“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 711: Scene “07_4boxes_ontable“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 712: Scene “09_slanted_2hidden“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 713: Scene “31_cup_occluded_by_phone_and_keyboard“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 714: Scene “32_monitor_supporting_keyboard_vague“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 715: Scene “33_monitor_supporting_keyboard_good“

(a) Input pointcloud

(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 716: Scene “34_teakettle“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 717: Scene “35_kitchen_with_bowls“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 718: Scene “36_kitchen_with_food_and_jars“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 719: Scene “40_single_sofa_in_common_room“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view

(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 720: Scene “41_office_chair_reception“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 721: Scene “45_curved_turning_sofa_lobby“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 722: Scene “46_5legged_chair_missing_armrest_lower_part“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 723: Scene “51_regular_chair_in_hallway“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 724: Scene “52_office_chair_in_lobby“

Table 1: Evaluation

		CONTACTS		SIDES	
SCENE NAME	#NODES (#CONTACTS)	INITIAL	OPTIMIZED	INITIAL	OPTIMIZED
cat1__02_5cubes_on_round_table	5 (6)	67%	100%	53%	96%
cat1__06_aligned_2boxes_on_round	2 (3)	0%	100%	79%	98%
cat1__08_slanted_3boxes_on_floor	3 (5)	60%	100%	51%	95%
cat1__10_aligned_2books	2 (2)	100%	100%	66%	99%
cat1__11_aligned_wood_henge	4 (5)	40%	100%	76%	99%
cat2__07_4boxes_on_table_fixed	6 (9)	67%	89%	74%	99%
cat2__09_slanted_2hidden_fixed	7 (10)	64%	91%	74%	98%
cat3__31_cup_occluded_by_phone_and_keyboard_fixed	3 (3)	67%	100%	62%	93%
cat3__32_monitor_supporting_keyboard_vague_fixed	4 (5)	25%	88%	78%	99%
cat3__33_monitor_supporting_keyboard_good	6 (8)	33%	89%	71%	97%
cat3__34_teakettle	6 (6)	25%	88%	62%	99%
cat3__35_kitchen_with_bowls	4 (5)	71%	71%	54%	90%
cat3__36_kitchen_with_food_and_jars	5 (5)	50%	83%	81%	99%
cat4__40_single_sofa_in_common_room_fixed	12 (14)	36%	86%	46%	91%
cat4__41_office_chair_reception_fixed	7 (7)	11%	100%	72%	97%
cat4__45_curved_turning_sofa_lobby_fixed	7 (9)	11%	100%	60%	99%
cat4__46_5legged_chair_missing_armrest_lower_part_fixed	8 (8)	13%	100%	57%	93%
cat5__51_regular_chair_in_hallway	8 (11)	36%	91%	63%	99%
cat5__52_office_chair_in_lobby_fixed	7 (7)	14%	100%	48%	97%
AVERAGE per scene:		42%	88%	65%	97%

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 725: round_table_medium_height

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 726: squared_medium

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 727: single_sofa_medium_height

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 728: double_sofa_medium_height

(a) Input pointcloud

(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 729: common_room_two_chairs_3

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 730: Scene “heap_10“

(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 731: Scene “17_kinfu_covered_object“



(a) Input pointcloud



(b) Initial proxies



(c) Initial proxies from alternate view



(d) Optimized proxies with contact graph



(e) Optimized proxies with input pointcloud from alternate view

Figure 732: Scene “16_kinfu_complex_desk“